

SMART Point-of-Sale

Innovative Mobile Solution

ExaDigm's N5 tablet is a sleek and secure payment solution. With many connectivity options, the N5 allows for multiple payment types including NFC, EMV, PIN-based transactions, and signature capture. It also features a front-facing camera and barcode scanner. Best of all, the N5 comes with a dual CPU.




- **OPTIMIZED**
With a thermal printer tucked behind the screen, you can maximize screen functionality
- **SCALABLE**
EMV & NFC support allow you to adapt to the changing payment solution environment
- **ADAPTABLE**
Designed to stand alone or work with your existing POS solution, the N5 offers flexibility

CERTIFICATIONS



N5

www.exadigm.com



Features & Benefits

Secure - Unparalleled security and compliance, including EMV, PCI PTS and PCI-PADSS.

Android-Based - Runs on the Android 5.X Operating System.

Dual CPU - Allows you to run customer-facing content while maintaining a secure CPU for payments.

Screen Capabilities - Large screen allows for multi-media use, including video demonstrations and advertisements.

Flexible - All the features of a handheld tablet with the addition of a printer.

Terminal Access Portal (TAP)

ExaDigm's Terminal Access Portal (TAP) provides the fastest, most secure and truly cost-effective remote device management tool for a wide range of users. Featuring a user-friendly interface, TAP can be accessed anytime, anywhere, ensuring real-time device management.

Specifications

Processor	4 Core CPU + ARM Cortex-M4
Memory	8 GB Flash, 1 GB RAM
Slots	2 PSAM card slots 1 SIM card slot 1 SD card slot
Card Readers	Contactless - ISO/IEC 14443 Magstripe - 3 track, bi-directional Smart card - ISO 7816
Display	5.5 inch color capacitive screen, 720 x 1280
Audio	Mono, Stereo
Thermal Printer	Paper roll W x D = 58mm x 40mm
Ports	1 Micro USB host/slave
Communication	4G LTE, WiFi, Bluetooth
Camera	5MP (rear-facing)
GPS Tracking	GPS, GLONASS
Size	L x W x H = 186 x 82 x 64mm
Weight	417g
Environment	Operating temperature: 0°C to 50°C (32°F to 122°F); storage temperature: -20°C to 60°C (-4°F to 140°F); humidity (non-condense): 5% to 95%
Power Supply	Input: 100-240V, 50-60Hz Output: 5V/2A
Battery	Li-ion 4300mAh
Certifications	PCI PTS 4.x, Paywave, Paypass, EMV Level 1 & 2
Optional	5MP camera (front-facing) 1D barcode scanner Docking station (charger/WiFi hotspot)